Patient Information



Duodenal Stent Insertion

Introduction

This leaflet tells you about the procedure known as a duodenal stent insertion. It explains what is involved and what the possible risks are. It is not meant to replace informed discussion between you and your doctor, but can act as a starting point for such a discussion.

Whether you are having the duodenal stent insertion as a planned or an emergency procedure you should have had sufficient explanation before you sign the consent form.

Radiologists are doctors specially trained to interpret the images and carry out more complex examinations. They are supported by radiographers who are highly trained to carry out x-rays and other imaging procedures.

What is duodenal stent insertion?

The duodenum is a hollow, muscular tube which takes food from the stomach into the small bowel. If it becomes blocked, then digesting your food may become difficult. One way of overcoming this problem is by inserting a metal, mesh tube called a stent, through the duodenum and across the blockage. Food can then pass through your gut as normal.

Why do I need a duodenal stent inserted?

Other tests that you probably have had done, either an endoscopy (telescope test) or a barium meal or CT scan, have shown that your duodenum has become blocked. Your doctor will have discussed with you the likeliest cause of the blockage and the possible treatments. It is likely that an operation has been ruled out, and that a stent insertion is considered the best treatment option for you.

Who has made the decision?

The doctors in charge of your case, and the radiologist performing the duodenal stent insertion will have discussed the situation, and feel that this is the best treatment. However, you will also have the opportunity for your opinion to be taken into account, and if, after discussion with your doctors, you do not want the procedure carried out, you can decide against it.

What are the options or alternatives?

This is felt to be the simplest way to relieve the blockage. From other tests it is likely that the blockage cannot be removed. The only other alternative would require an open operation to bypass the duodenum.

Who will be performing the oesophageal stent insertion?

A specially trained doctor called a Radiologist. Radiologists have special expertise in using x-ray equipment, and also in interpreting the images produced. They need to look at these images while carrying out the procedure, to make sure that the stent is positioned correctly.

Radiographers and Radiology Nurses will be present in the room to assist during the procedure, they will introduce themselves at the start of the procedure.

Occasionally Student Radiographers or Medical Students will be present to observe the procedure.

Where will the procedure take place?

Generally, in the Medical Imaging Department.

How do I prepare for a duodenal stent insertion?

- You need to be an inpatient in the hospital. You will be asked **not** to eat or drink for four hours beforehand.
- You will have had some blood tests performed before the procedure to check that you do not have an increased risk of bleeding.
- If you have any allergies or you have previously reacted to intravenous contrast medium, you must let the doctor know. Intravenous contrast medium is the injection we give you during some scans.
- If you are diabetic, please contact the Medical Imaging Department on 01392 402336 selecting option 2, in-patient enquiries, option 6 for Interventional Radiology.
- If you normally take any medication to thin your blood (anticoagulation or antiplatelet drugs) such as: warfarin / clopidogrel / aspirin / non-steroidal anti-inflammatory drugs (NSAIDS / brufen / ibrufen / nurofen) / dabigatran (Pradaxa) / rivaroxiban (Xarelto) / Apixaban (Eliquis) / phendione / acenocoumarol then these may need to be stopped or altered. Please contact the Medical Imaging Department on 01392 402336 selecting option 2, inpatient enquiries and then option 6 for Interventional Radiology.
- Other medication should be taken as normal.

What actually happens during a duodenal stent insertion?

You will lie on the x-ray table, generally on your back. You need to have a needle put into a vein in your arm, so that the Radiologist can give you a sedative to relax you, or painkillers. Once in place, this needle does not cause any pain. You will also have a monitoring device attached to your chest and finger, and may receive oxygen through small tubes in your nose.

The Radiologist will spray the back of your throat with local anaesthetic to make the procedure more manageable for you, and will probably give you a sedative. To start with a fine tube is passed through your mouth, down the gullet, through the stomach and past the blockage. The stent is then passed over this fine tube, and into the correct position across the blockage. The fine tube is then withdrawn.

Will it hurt?

Unfortunately, it may hurt a little, for a very short period of time, but any pain you have should be controlled with painkillers. Some discomfort may be felt in your throat, but this should not be too sore.

There will be a Nurse, or another member of clinical staff, standing next to you and looking after you. If the procedure does become painful for you, then they will be able to arrange for you to have more painkillers through the needle in your arm. Generally, actually placing the stent in the duodenum does not take very long.

How long will it take?

Every patient's situation is different, and it is not always easy to predict how complex or how straightforward the procedure will be. It will probably be over in 45 minutes, but occasionally it may take an hour. As a guide, expect to be in the Medical Imaging Department for about an hour and a half altogether.

What happens afterwards?

You will be taken back to your ward on a trolley bed. Nurses on the ward will carry out routine observations, such as taking your pulse and blood pressure, to make sure that there are no problems. You will generally stay in bed for a few hours, until you have recovered.

What will happen to the results?

A report of the procedure will be recorded in your notes immediately and also sent to your specialist within 48 hours.

How soon can I eat and drink, and what happens next?

Most patients will be able to start on fluids within a few hours. It is then necessary to have a fairly liquid diet for a few days, until starting on soft solids. More solid food should be chewed properly before swallowing. Depending on how well the stent has overcome the blockage, you may be back on a fairly normal diet within a week or so.

Are there any risks or complications?

Duodenal stent insertion is a very safe procedure, but there are some risks and complications that can arise, as with any medical treatment. It is possible that some bleeding may occur during the procedure, but this generally stops without the need for any action.

It is not unusual to feel mild-to-moderate chest or abdominal pain while the stent 'beds in', but this normally settles in a day or two. Some patients get heartburn afterwards, and need to take medicine for this.

Despite these possible complications, the procedure is normally very safe, and will almost certainly result in a great improvement in your medical condition.

Finally

Some of your questions should have been answered by this leaflet, but remember that this is only a starting point for discussion about your treatment with the doctors looking after you. Make sure you are satisfied that you have received enough information about the procedure, before you sign the consent form.

Contact us

If you found reading your leaflet difficult, you do not understand what it means for you if you have any queries or concerns you can contact us on: **01392 402336** and we can talk it through or alternatively you can email us **rduh**. **radiologyappointments@nhs.net**

How to get to your appointment

Please refer to the enclosed "Welcome to the Medical Imaging Department" leaflet or use the Trusts website for the latest information: www.royaldevon.nhs.uk/our-sites/royal-devon-and-exeter-hospital-wonford/

For more information on the Medical Imaging Department, please visit our website:

www.royaldevon.nhs.uk/services/medicalimaging-radiology-x-ray/medical-imagingeastern-services/

This leaflet was modified with acknowledgment of, and permission from, the Royal College of Radiologists

The Trust cannot accept any responsibility for the accuracy of the information given if the leaflet is not used by Royal Devon staff undertaking procedures at the Royal Devon hospitals.

© Royal Devon University Healthcare NHS Foundation Trust

Designed by Graphics (Print & Design), RD&E (Heavitree)