#### **Patient Information**



# About your Child's CT scan under General Anaesthetic

(Morning Appointments)

#### What is a CT scan?

CT Stands for computerised tomography. A CT scanner uses x-rays to produce a series of cross sectional images which are obtained through the body and a computer is used to reconstruct the images. This information may help your child's consultant with diagnosis and the planning of their treatment.

#### Reasons for having a CT scan

The doctor who requests your child's CT scan will discuss with you the reasons for the scan. They will explain the linformation they hope to find, and how this will influence your child's subsequent management. In addition, they will explain why the CT needs to be done now, rather than waiting until your child is old enough to undergo a CT without a general anaesthetic. They will also discuss why alternative investigations, which would not require a general anaesthetic, would not be appropriate.

### Additional investigations under the same general anaesthetic

If anything else, such as a blood test, needs to be done, the doctor will discuss this with you.

#### Information about the diagnosis

This will be discussed with you by your child's paediatrician.

### What does the procedure involve?

The procedure will involve your child keeping completely still inside the scanner (this is why a general anaesthetic is given) while pictures are taken. An injection may be given into a vein to make some parts of the body show up better. The general anaesthetic is described in more detail in the leaflet entitled 'Your Child's General Anaesthetic', which is available from Bramble ward.

#### What happens before the scan?

Your child should not eat after midnight on the night before the CT scan. Please encourage your child to drink clear, non-fizzy drinks (e.g. water or squash, **but NOT milk**) until they arrive at the hospital on the day of the scan. If your child is less than 1 year old they can have a breast feed or formula feed which must be finished by 5am. They will be admitted to Bramble Ward Day Case Unit on the day of the scan, and encouraged to drink water or squash on the ward. If your child is taking any medicines or inhalers, they should take these as usual on the day of the scan.

We expect your child to make a rapid recovery after their CT scan under general anaesthetic and to experience no serious problems. However, it is important that you should know about minor problems, which are common after this procedure, and also about more serious problems that can occasionally occur. The section 'The risks

of a general anaesthetic' describe these, and we would particularly ask you to read this. The headings from this section will also be included in the consent form you will be asked to sign before your child's CT.

#### What is a general anaesthetic?

A general anaesthetic ensures that your child is unconscious and free of pain during an investigation or operation.

Anaesthetists are specialist doctors who are responsible for the wellbeing of your child throughout the procedure.

#### The risks of a general anaesthetic

The risks of a general anaesthetic General anaesthetics are usually very safe. However, there are some risks, which may be increased if your child has a chronic medical condition. The risks are outlined in the infographic overleaf.

You can watch a video of what it's like to go to hospital and have an anaesthetic at www. apagbi.org.uk/children-and-young-people/videoschildren

There are more leaflets and videos at: rcoa.ac.uk/childrensinfo

#### How long does a scan take?

Total scanning time is approximately 1 hour.



#### What happens after the scan?

Your child should recover quickly, and should not experience any pain or discomfort.

Most children will go to the recovery room. Each child is cared for by a specialist nurse until he or she is awake, and is ready to go back to the ward. Usually a ward nurse will bring you to the recovery room, as soon as your child wakes up.

Some children are very distressed when they wake from the anaesthetic. This is common in children under 3 years and sometimes in children who are upset before they are anaesthetised. It is not related to pain. Your child may take a little while to calm down, but usually will settle after returning to the ward, having food and drink, and playing with their toys or watching TV.

#### **Discharge from hospital?**

You can take your child home a few hours after the CT scan, on the same day, as long as they can drink and is not being sick.

### What should you do if a problem develops?

If you have any concerns before you take your child home, please talk to the nurse looking after them.

## Do you need to return to hospital for a check and what will happen to the results?

No, you do not need to return to the hospital for a check but you will be seen in the Outpatient Department to discuss the results of the scan.

### Who should you contact in an emergency?

Bramble Blue Ward on Exeter (01392) 402681

#### Contact us

If you found reading your leaflet difficult, you do not understand what it means for you, if you have any queries or concerns you can contact us on: **01392 402336** and we can talk it through or alternatively you can email us -

rduh.radiologyappointments@nhs.net

#### How to get to your appointment

Please refer to the enclosed "Welcome to the Medical Imaging Department" leaflet or use the Trusts website for the latest information:

/www.royaldevon.nhs.uk/our-sites/royal-devon-and-exeter-hospital-wonford/

For more information on the Medical Imaging Department, please visit our website:

www.royaldevon.nhs.uk/services/medicalimaging-radiology-x-ray/medical-imagingeastern-services/

The Trust cannot accept any responsibility for the accuracy of the information given if the leaflet is not used by Royal Devon staff undertaking procedures at the Royal Devon hospitals.

© Royal Devon University Healthcare NHS Foundation Trust

Designed by Graphics (Print & Design), RD&E (Heavitree)