

Following your Bronchoscopy with sedation

Other formats

If you need this information in another format such as audio CD, Braille, large print, high contrast, British Sign Language or translated into another language please contact the PALS desk on 01271 314090 or at rduh.pals@nhs.net.

You may have been given a local anesthetic throat spray, to numb your throat during the procedure.

- You should have **nothing to eat or drink** until:
- After this you may eat and drink normally.

After your Bronchoscopy, if you had sedation, a responsible adult must collect you **from endoscopy reception** and stay with you for at least 12 hours, because you will be drowsy from the medication you have been given. Small amounts of sedation will remain in your body for up to 24 hours. During this period, although you may feel wide-awake you will still be under the influence of the sedation. Your concentration and co-ordination may be impaired and you may feel light headed or faint.

Sedation can impair your reflexes and judgement.

It is for these reasons that for **24 hours after your procedure** you:

- Go home and take complete rest for the remainder of the day and have a quiet day tomorrow
- Must not drive a car (your car insurance is invalid for the 24-hour period)
- Must not ride a motorbike or bicycle
- Must not operate any machinery or electrical items, e.g. kitchen appliances
- Must not drink alcohol
- Must not take any sleeping tablets
- Must not sign any legally binding documents
- Do not bath or shower
- Must not work

What will happen after my test?

Part of having a bronchoscopy at North Devon District Hospital may involve having some biopsies taken. Biopsies are not always necessary if all appeared normal. Biopsies, if taken, are sent to the laboratory to be analysed by a pathologist. The results will either be sent to your GP or you will have an appointment in the outpatient's department to discuss the results with your hospital doctor

When can I eat and drink again?

The local anaesthetic wears off after 1-2 hours, after which you may have fluids. It is advisable to start with sips of cold water to make sure the normal sensation has returned. You can eat and drink as normal, unless advised otherwise.

When I am at home, what if I feel unwell after the procedure?

You may or may not encounter any of the following conditions.

Sore throat – hoarse voice: You may experience a sore throat or hoarse voice. This is not unusual, and this should ease within a day or so.

Bleeding: It is normal to cough up small amounts of blood in your sputum and you may have a slight nosebleed following your bronchoscopy. If the bleeding persists for more than 24 hours, and gets heavier, please consult your doctor for immediate medical advice.

Fever: Occasionally fever can occur for 24-48 hours following procedure. This does not usually require treatment, and can be easily relieved with paracetamol. If fever symptoms worsen after this time, please consult your doctor for immediate medical advice.

Localised infection: For your procedure you will have had your medications administered through a special intravenous cannula. Sometimes the area can get sore and infected after the procedure. This may need a treatment with topical cream or some antibiotics. If this happens, please visit your GP for advice and treatment.

Medications

You may resume normal medications after your bronchoscopy, unless advised otherwise.

If you take blood thinning medications please restart them on.....

When will I get the results?

A nurse will speak to you before you leave the Gemini Endoscopy Suite and explain:

- What was seen and done during your procedure
- Whether you will need any further follow up
- That a copy of your report will be sent to your GP today and any results should be with your GP within 2 weeks

What if I need further advice and assistance?

If any of the above symptoms persist or worsen after the bronchoscopy – such as bleeding, pain, temperature and shortness of breath, please follow the instructions below:

- In normal working hours Monday to Friday 8am to 6.30pm, telephone the Gemini Endoscopy Suite on 01271 349180
- Outside these hours contact your GP surgery or if in an emergency, come to the North Devon District Hospital A&E
- Alternatively telephone NHS Direct on 111

PALS

The Patient Advice and Liaison Service (PALS) ensures that the NHS listens to patients, relatives, carers and friends, answers questions and resolves concerns as quickly as possible. If you have a query or concern call 01271 314090 or email rduh.pals@nhs.net. You can also visit the PALS and Information Centre in person at North Devon District Hospital, Barnstaple.

Have your say

Royal Devon University Healthcare NHS Foundation Trust aims to provide high quality services. However, please tell us when something could be improved. If you have a comment or compliment about a service or treatment, please raise your comments with a member of staff or the PALS team in the first instance.

Tell us about your experience of our services. Share your feedback on the Care Opinion website www.careopinion.org.uk or freephone 0800 122 3135.

Royal Devon University Healthcare NHS Foundation Trust
Raleigh Park, Barnstaple
Devon EX31 4JB
Tel. 01271 322577
www.royaldevon.nhs.uk

© Royal Devon University Healthcare NHS Foundation Trust
This leaflet was designed by the Communications Department.
www.royaldevon.nhs.uk/get-in-touch